

Intelligence Search

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L26	3	(receiv\$4 and request\$4 and server and client and first and (second intermediate) and (third final) and transform\$5 and presentation and format and device).CLM.	US-PGPUB	OR	ON	2006/08/17 14:44
L27	0	(transform\$5 and retriev\$4 and database and layout and data and XSLT and user and profile and rules). CLM.	US-PGPUB	OR	ON	2006/08/17 14:45
L28	47	(xslt and engine).CLM.	US-PGPUB	OR	ON	2006/08/17 14:45
L29	43	28 and transform\$5	US-PGPUB	OR	ON	2006/08/17 14:45
L30	0	29 and @ad<="20001018"	US-PGPUB	OR	ON	2006/08/17 14:46
L31	0	29 and @pd<="20001018"	US-PGPUB	OR	ON	2006/08/17 14:46
L32	0	(perform\$4 with first with stage with transform\$5 with layout with request\$4).CLM.	US-PGPUB	OR	ON	2006/08/17 14:47
L33	0	((intermediate second) with stage with transform\$5 with layout).CLM.	US-PGPUB	OR	ON	2006/08/17 14:48
L34	0	((final third) with stage with transform\$5 with layout).CLM.	US-PGPUB	OR	ON	2006/08/17 14:48
L35	20	(xslt and transform\$4) and (stage\$2 multi-stage\$2 n-stage\$2).CLM.	US-PGPUB	OR	ON	2006/08/17 14:49
L36	9	(xslt and (optimiz\$6 compress\$4 encrypt\$4 en-crypt\$4)) not (((xslt and layout) and transform\$6) and (optimiz\$6 compress\$4 encrypt\$4 en-crypt\$4)) and ((first and second and third) near3 stage)	US-PGPUB	OR	ON	2006/08/17 15:23
L37	0	(xslt and (optimiz\$6 compress\$4 encrypt\$4 en-crypt\$4)) not (((xslt and layout) and transform\$6) and (optimiz\$6 compress\$4 encrypt\$4 en-crypt\$4)) and ((first and second and third) near3 stage).CLM.	US-PGPUB	OR	ON	2006/08/17 15:23
L38	0	((xslt and transform\$4) and (stage\$2 multi-stage\$2 n-stage\$2) and (layout and stage and device and profile)).CLM.	US-PGPUB	OR	ON	2006/08/17 15:24
L39	0	((transform with (device user client)) and (transform with second with stage) and xslt).CLM.	US-PGPUB	OR	ON	2006/08/17 15:25

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	4347	715/511,513,515,516,517,523.ccls.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/08/17 14:18
L2	316	(xslt and transform\$4) and (stage\$2 multi-stage\$2 n-stage\$2)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/08/17 14:18
L3	677	xslt and (optimiz\$6 compress\$4 encrypt\$4 en-crypt\$4)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/08/17 14:18
L4	701	((xsl and transform\$6) and (optimiz\$6 compress\$4 encrypt\$4 en-crypt\$4)) not (xslt and (optimiz\$6 compress\$4 encrypt\$4 en-crypt\$4))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/08/17 14:18
L5	1023	(xsl and transform\$6) and (optimiz\$6 compress\$4 encrypt\$4 en-crypt\$4)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/08/17 14:19
L6	483	(xslt and (optimiz\$6 compress\$4 encrypt\$4 en-crypt\$4)) not (((xslt and layout) and transform\$6) and (optimiz\$6 compress\$4 encrypt\$4 en-crypt\$4))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/08/17 14:19
L7	904	(transform with first with stage)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/08/17 14:20
L8	497	7 and (transform with second with stage)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/08/17 14:20
L9	160	8 and (transform with (device user client))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/08/17 14:21
L10	44	9 and (final with stage)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/08/17 14:23
L11	19	10 and @ad<="20001018"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/08/17 14:26

EAST Search History

L12	7415	(first near3 stage) and ((intermediate second) near3 stage) and ((third final) near3 stage) and transform\$5	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/08/17 14:25
L13	4084	12 and @ad<="20001018"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/08/17 14:28
L14	0	13 and (presentation with format with device)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/08/17 14:27
L15	1	12 and (presentation with format with device)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/08/17 14:27
L16	194	((xslt and layout) and transform\$6) and (optimiz\$6 compress\$4 encrypt\$4 en-crypt\$4)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/08/17 14:27
L17	316	(xslt and transform\$4) and (stage\$2 multi-stage\$2 n-stage\$2)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/08/17 14:28
L18	1158	xslt and transform\$4	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/08/17 14:28
L19	420	(xslt and layout) and transform\$6	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/08/17 14:28
L20	107	17 and 19	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/08/17 14:28
L21	1	20 and @ad<="20001018"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/08/17 14:28
L22	1023	(xsl and transform\$6) and (optimiz\$6 compress\$4 encrypt\$4 en-crypt\$4)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/08/17 14:30
L23	6113	707/10.ccls.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/08/17 14:30

EAST Search History

L24	476	xslt and layout	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/08/17 14:31
L25	399	24 and transform\$5	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/08/17 14:31



Welcome United States Patent and Trademark Office

Search Session History

[BROWSE](#)[SEARCH](#)[IEEE XPLORE GUIDE](#)

Thu, 17 Aug 2006, 2:39:50 PM EST

Edit an existing query or compose a new query in the Search Query Display.

Search Query Display

Select a search number (#) to:

- Add a query to the Search Query Display
- Combine search queries using AND, OR, or NOT
- Delete a search
- Run a search

Recent Search Queries

- | | |
|----|---|
| #1 | ((transformation or transform<in>metadata) <and> (multiple stages<in>metadata))<and> (presentation and device<in>metadata) |
| #2 | ((first and (second or intermediate) and (final or third)<in>metadata) <and> (transform or transformation<in>metadata))<and> (data layout<in>metadata) |
| #3 | ((xslt<in>metadata) <and> (transform or transformation<in>metadata)) |
| #4 | ((transform or transformation<in>metadata) <and> (database<in>metadata))<and> (stage rules<in>metadata) |
| #5 | ((xslt<in>metadata) <and> (transform or transformation<in>metadata))<and> (multiple stages<in>metadata) |
| #6 | ((transform or transformation <in>metadata) <and> (user profile<in>metadata))<and> (stages<in>metadata) |
| #7 | ((optimization<in>metadata) <and> (transform or transformation<in>metadata))<and> (xslt<in>metadata) |
| #8 | ((xslt <in>metadata) <and> (data layout<in>metadata))<and> (transform or transformation<in>metadata) |

Indexed by
 Inspect

[Help](#) [Contact Us](#) [Privacy](#)

© Copyright 2006 IEEE